

CONRAD THERMAL BLANKETS

CONRAD-GROUPED*



PRODUCT DESCRIPTION

Shorter anaesthesia recovery times with the ConRad thermal blankets

For use immediately after induction of anaesthesia to protect your patients against heat loss. Designed with two functional options, one for general use and one for use during an MRI, the ConRad blanket works by reducing patient heat loss using three layers that act as a barrier to all three mechanisms of heat loss: conductive, convective, and radiant. The three layers are made up of the fluid impermeable outer shell, the inner radiant barrier, and the inner fibrous insulating layer.

Key Features

- Soft, supple, and fluid proof
- Reusable and easy to clean
- Radiolucent
- Two-layer internal design acts as a barrier to all three mechanisms of heat loss
- Specifically designed MRI option with no MRI signal loss and no RF interference.
- Maintain normothermia in surgical, dental, endoscopic, and imaging (x-ray, CT) procedures.
- Clinically effective when used as designed
- Shorter anaesthesia recovery times
- Adjunct to active warming
- Simple to use
- Small, medium, and large sizes

Small (20" x 28") Medium (24" x 34) Large (28" x 41")

ADDITIONAL INFORMATION

SKU

CONRAD-grouped*

Good to know...

At Burtons we know you have a choice to shop with us, that is why we always aim to delight our customers with a fast, easy, shopping experience. Making and sourcing only the best products we can find to fit your needs. Price Matching: We regularly check all our prices against competitors so you don't have to. If you do find a like for like product cheaper we will aim to not just match it, but beat it! Backorders: All back ordered items will be ordered and shipped as quickly as we can to you. Special order items may take up to 4 weeks. Once ordered a member of our team will be in contact to keep you informed of estimated delivery dates. Returns Policy: You may return new, unworn or unused products within fourteen (14) days of delivery for a full refund of the cost of the goods, or an exchange if preferred. This is on top of your statutory rights